Ptech

ENERGY - WATER - SEWAGE TREATMENT TECHNOLOGY

Datasheet



Betonite Treatment Plant

+49 163 7037447
info@ptech-gmbh.com • www.ptech-gmbh.com

Katzwanger Str. 150, 90461 Nürnberg, Germany

© Ptech Umwelttechnik GmbH

Ptech
ENERGY - WATER - SEWAGE TREATMENT TECHNOLOGY

Vorteile

Treatment units, designed by Ptech GmbH for bentonite intensive wastewater occured during excavation works at construction sites, are designed in compact forms with varying capacities to meet the specific needs. The problem of bentonite intensive wastewater which poses a significant challenge for construction companies, is completely eradicated by the package treatment units we offer.

Bentonite treatment units are entirely prefabricated and a manufacturing time of 8-10 weeks on average. The installation and commissioning for operation after manufacturing takes 1 week. After the operation training provided to a personnel designated by the employer company, the facility is handed over to the end user.









+49 163 7037447
info@ptech-gmbh.com • www.ptech-gmbh.com

© Ptech Umwelttechnik GmbH

Ptech

ENERGY - WATER - SEWAGE TREATMENT TECHNOLOGY

Umwelttechnik GmbH



+49 163 7037447
info@ptech-gmbh.com
Katzwanger Str. 150, 90461
Nürnberg, Germany

ptechgmbh
Ptech Umwelttechnik GmbH
@PtechGmbH

www.ptech-gmbh.com